



**Commercial
Vehicles**

The Transporter Range – Specifications



Technical specifications

Engine	Transporter TDI250	Transporter TDI340	Transporter TDI400
Type	4 Cylinders, DOHC, 16 Valve	4 Cylinders, DOHC, 16 Valve	4 Cylinders, DOHC, 16 Valve
Capacity, litres/cc	2.0 / 1,968	2.0 / 1,968	2.0 / 1,968
Installation	Transverse installation	Transverse installation	Transverse installation
Bore x Stroke / Compression ratio	81.0mm x 95.5mm / 16.5:1	81.0mm x 95.5mm / 16.5:1	81.0mm x 95.5mm / 16.5:1
Construction materials	All alloy	All alloy	All alloy
Maximum power, kW @ rpm	75 @ 3,500	103 @ 3,500	132 @ 4,000
Maximum torque, Nm @ rpm	250 @ 1,500 – 2,500	340 @ 1,750 – 2,500	400 @ 1,500 – 2,000
Induction type	Single turbocharger	Single turbocharger	Bi-turbochargers
Intercooled	Yes	Yes	Yes
Emissions standard*	Euro 5 with Diesel Particle Filter (DPF)	Euro 5 with Diesel Particle Filter (DPF)	Euro 5 with Diesel Particle Filter (DPF)
Transmission – manual	5 Speed	6 Speed	6 Speed
Transmission – automatic	–	7 Speed DSG	7 Speed DSG
Driven wheels	Front wheel drive	Front wheel drive	Front wheel drive/Optional 4MOTION
Wheels and tyres			
Wheels	Steel 16" x 6.5J	Steel 16" x 6.5J	Steel 17" x 7J
Tyres	205/65 R16C 107/105T	205/65 R16C 107/105T (Van) 215/65 R16 106/104T (Single Cab)	235/55 R17 103W
Fuel consumption and performance			
Fuel type	Diesel	Diesel	Diesel
Fuel system	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel tank capacity, litres	80	80	80

	Single Cab	Dual Cab	Vans (incl. Crewvan)		
	TDI340 Comb / Urban / Ex Urban • CO ₂	TDI400 Comb / Urban / Ex Urban • CO ₂	TDI250 Comb / Urban / Ex Urban • CO ₂	TDI340 Comb / Urban / Ex Urban • CO ₂	TDI400 Comb / Urban / Ex Urban • CO ₂
Manual, Litre/100km • CO ₂ g/km	8.1 / 10.2 / 6.9 • 214	8.1 / 9.8 / 7.1 • 214	7.5 / 9.7 / 6.3 • 198	7.7 / 9.8 / 6.5 • 203	7.8 / 9.8 / 6.7 • 205
Automatic, Litre/100km • CO ₂ g/km	8.5 / 10.4 / 7.4 • 224	8.4 / 10.2 / 7.3 • 221	–	8.2 / 10.4 / 6.9 • 216	8.1 / 10.2 / 6.9 • 214
4MOTION Manual, Litre/100km • CO ₂ g/km	–	8.7 / 10.5 / 7.6 • 229	–	–	–
4MOTION DSG, Litre/100km • CO ₂ g/km	–	–	–	–	8.4 / 10.5 / 7.2 • 221

Drivetrain

Suspension and steering	TDI250	TDI340	TDI400
Front axle	Independent McPherson struts, sub-frame with coil springs and gas filled dampers		
Rear axle	Semi-trailing independent rear axle with coil springs and anti-roll bar		
Steering	Rack and pinion power steering		
Turning circle	SWB: 11.9m / LWB: 13.2m		
Brakes			
Front disc brakes – vented, mm	308	308	340
Rear disc brakes – solid, mm	294	294	294
Brake systems	ESP, ABS, ASR, MSR, EDL and Hill Holder		

* Emission level according to European Regulation (EC) No. 715/2007 and Regulation (EC) No. 692/2008. The information and the specifications contained within this document were correct at the time of issue. Due to our continuous process of improvement our products are continually updated and changes may be made to the specifications from time to time. Not all vehicles or options may be available. Check at time of ordering.

Measurements and statistics

Weights	Transporter Single Cab TDI340		Transporter Dual Cab TDI400	
Towing capacity, braked / unbraked, kg	2,000 / 750		2,000 / 750	
Towing downball load, kg	100		100	
GVM, kg	3,000		3,000	
Unladen mass ¹ , kg	1,649		1,740	
Payload ² – manual, kg	1,350		1,260	

	Transporter Van TDI250	Transporter Van TDI340	Transporter Van TDI400
Towing capacity, braked / unbraked, kg	2,000 / 750	2,000 / 750	2,000 / 750
Towing downball load, kg	100	100	100
GVM, kg	3,000	3,000	3,000
Unladen mass ¹ SWB standard roof height, kg	1,722	1,752	1,802
Unladen mass ¹ LWB standard roof height, kg	1,778	1,808	1,859
Payload ² SWB, kg	1,277	1,247	1,197
Payload ² LWB, kg	1,221	1,191	1,140

	Transporter Crewvan TDI340 6-speed Manual	Transporter Crewvan TDI340 7-speed DSG
Towing capacity, braked / unbraked, kg	2,000 / 750	2,000 / 750
Towing downball load, kg	100	100
GVM, kg	3,000	3,000
Unladen mass ¹ SWB standard roof height, kg	1,872	1,884
Payload ² SWB, kg	1,127	1,115
Unladen mass ¹ LWB standard roof height, kg	1,936	1,948
Payload ² LWB kg	1,064	1,052

Transporter Van

Exterior dimensions	SWB		LWB		
Length, mm	4,892		5,292		
Width, mm	1,904		1,904		
Height standard / med / high, mm	1,990 / 2,176 / –		1,990 / 2,176 / 2,476		
Wheelbase, mm	3,000		3,400		

Interior dimensions (Wheelbase – roof height)	SWB – standard	SWB – medium	LWB – standard	LWB – medium	LWB – high
Load volume, m ³	5.8	6.7	6.7	7.8	9.3
Maximum length, mm	2,353	2,353	2,753	2,753	2,753
Maximum width, mm	1,692	1,692	1,692	1,692	1,692
Maximum width at wheel arches, mm	1,244	1,244	1,244	1,244	1,244
Maximum height, mm	1,410	1,626	1,410	1,626	1,940





Cargo entry	SWB (Van, Crewvan)	LWB (Van)
Rear tailgate width, mm	1,486	1,486
Rear tailgate height, mm	1,305	1,305
Lateral sliding doors width, mm	1,020	1,020
Lateral sliding doors height, mm	1,284	1,284

¹ The Unladen Mass (UM) includes 10L of fuel, vehicle fluids and no occupants. Figures quoted are for base model vehicles only. ² Payload figures determined by subtracting 'Unladen Mass' (UM) from total 'Gross Vehicle Mass' (GVM). A vehicle's final payload, given the different available configurations, can only be determined by weighing the individual vehicle and comparing to the known GVM. Figures quoted are for base model vehicles only.

Measurements and statistics

Transporter Van (continued)

Warranty and service	
Vehicle	3 Years, Unlimited km
Paint / Corrosion	3 Years / 12 Years
Road side assistance	3 Years, Unlimited km







Transporter SWB – Standard/Medium

Transporter LWB – High

Transporter Cab Chassis

Exterior dimensions	Single Cab	Dual Cab
Length, mm	5,292	5,292
Width, mm	1,904 (not including mirrors)	1,904
Height, mm	1,949	1,963
Wheelbase, mm	3,400	3,400

Warranty	
Vehicle	3 Years, Unlimited km
Paint / Corrosion	3 Years / 12 Years
Road side assistance	3 Years, Unlimited km




Transporter Single Cab Chassis

Transporter Dual Cab Chassis


Measurements and statistics

Transporter Crewvan

Exterior dimensions	SWB	LWB
Length, mm	4,892	5,292
Width, mm	1,904	1,904
Height standard / med / high, mm	1,990 / 2,176 / –	1,990 / 2,176 / –
Load volume, m ³ *	5.8	6.7
Maximum length, mm	2,353	2,753
Maximum width, mm	1,692	1,692
Maximum width at wheel arches, mm	1,244	1,244
Maximum height, mm	1,410	1,410
Cargo entry		
Rear tailgate width, mm	1,486	1,486
Rear tailgate height, mm	1,305	1,305
Lateral sliding doors width, mm	1,020	1,020
Lateral sliding doors height, mm	1,284	1,284
Warranty		
Vehicle	3 Years, Unlimited km	
Paint / Corrosion	3 Years / 12 Years	
Road side assistance	3 Years, Unlimited km	



Transporter Crewvan SWB – Standard



Transporter Crewvan LWB – Medium

* With standard roof height and rear bench seat removed

Standard and optional equipment

Safety and security	Van	Crewvan	Single Cab	Dual Cab
Front height adjustable 3 point seatbelts with pre-tensioners	S	S	S	S
3 Point seatbelts for 2nd row	–	S	–	S
Driver and front passenger airbag	S	S	S	S
Driver and front passenger head/thorax airbags	O	O	–	O
Anti-lock Braking System (ABS) with Electronic Brake Distribution (EBD)	S	S	S	S
Brake Assist (BA)	S	S	S	S
Anti-Slip Regulation (ASR)	S	S	S	S
Electronic Stability Programme (ESP)	S	S	S	S
Electronic engine immobiliser	S	S	S	S
Remote central locking with 2 remote keys	S	S	S	S
Alarm with back-up horn	O	O	O	O
Lockable glovebox	S	S	S	S
Child restraint anchor points (3 in second row of seats)	–	S	–	–
Driver assist				
Hill hold control	S	S	S	S
Side Assist (SWB Vehicles only)	O	O	–	–
Rear View Camera (RVC Plus) – only with RNS510	O	O	–	–
Park distance control – front and rear	O	O	–	–
Park distance control – rear	O	O	–	–
Audio and media				
RCD210 Radio CD Player with MP3 Single Din	S	S	S	S
RCD310 Radio CD Player with MP3 Double Din with Aux-In	O	O	O	O
RNS315 Satellite Navigation / Multimedia 5" touch screen, SD card reader, 30GB hard drive for maps. Also includes AM/FM radio with RDS and single CD player	O	O	O	O
RNS510 Satellite Navigation/Multimedia 6.5" touch screen, SD card reader, 30GB hard drive for maps. Also includes AM/FM radio with RDS and single CD player	O	O	O	O
iPod®* and iPhone®* connector – only with RCD310	O	O	O	O
Bluetooth™* connectivity, including hands-free phone operation	O	O	O	O
Exterior				
Metallic paint	O	O	O	O
Pearl effect paint	O	O	O	O
Body coloured bumpers (limited colours)	O	O	O	O
High roof in body colour – LWB only (add 50kg to unladen mass, limited colours)	O	–	–	–
High roof in white – LWB only (add 50kg to unladen mass)	O	–	–	–
Medium roof in body colour (limited colours)	O	O	–	–
Medium roof in white (add 30kg to unladen weight)	O	O	–	–
C Rails – roof rack mounting rails for movable roof rack (not with medium or high roof)	O	O	–	–
Front and rear mud flaps (front only for Cab Chassis)	S	S	S	S
Alloy tray with tie down points and rear mud flaps	–	–	O	O
Wheels and tyres				
17" x 7J Alloy wheels "Thunder" with 235/55 R 17 103 W tyres	O	O	O	O
Seats				
Fabric seat coverings "Austin"	S	S	S	S
Double bench seat in front row with storage compartment	O	O	S	O
Driver and front passenger seat with height adjustment, lumbar support and armrest	O	O	–	O
Drivers seat height adjustment with lumbar support and armrest	O	O	O	O
2nd row 3-seater bench (passenger compartment)	–	S	–	S

Standard and optional equipment

Windows and doors	Van	Crewvan	Single Cab	Dual Cab
Left hand side sliding door	S	S	–	–
Right hand side sliding door	O	O	–	–
Power sliding side doors (left and right)	O	O	–	–
Rear wing doors with heated windows	O	O	–	–
Fixed partition with fixed window	O	–	–	–
Fixed window (centre left/right), per side	O	S	–	–
Sliding window (centre left/right), per side	O	O	–	–
Front electric windows with roll-back function (Driver and Passenger with one-touch up/down)	S	S	S	S
Heated window on rear tailgate	S	S	–	–
Air conditioning				
'Climatic' air conditioning	S	S	S	S
Interior				
3-spoke steering wheel	S	S	S	S
3-spoke leather multifunction steering wheel	O	O	O	O
Dash mounted gear shifter	S	S	S	S
Comfort Package – includes cab noise reduction + 2 x sunvisor vanity mirror + 2 x A pillar grab handle + dimmable dash panel and two tone horn	O	S	O	O
Sliding/tilting sunroof in cab	O	O	–	–
Rubber floor for cargo area	O	S	–	–
Wooden floor for cargo area	O	O	–	–
Multifunction display dash insert changes to have fuel and temp in separate gauges plus monochrome multifunction display – shows route time, average speed, actual speed, oil temp, speed warning, travel time, actual fuel consumption, average fuel consumption and range	O	O	O	O
Comfort				
Cruise control (standard on TDI400)	O	O	O	S
Electrically adjustable door mirrors with heating function	S	S	S	S
Lighting				
Light and Sight package – includes dusk sensing headlights with 'coming home' function, rain sensing wipers and auto dimming rear view mirror	O	O	O	O
Daytime running lights	S	S	S	S
Front fog lamps with cornering function	O	O	O	O
Rear fog lamp	S	S	S	S
Instrumentation				
Speedometer and tachometer, electronic odometer and trip meter, digital clock, fuel and coolant indicators, low fuel warning light, outside temperature and fuel gauge	S	S	S	S
Mechanical				
Suspension upgrade 1 (Reinforced standard dampers and springs) for rough road use. Not with High Roof	O	O	O	O
Suspension upgrade 2 (Upgraded dampers and springs) for rough road use	O	O	O	O
Mechanical rear differential lock (4MOTION models only)	O	O	–	O
2nd Battery	O	O	O	O

The Bluetooth™ word mark is owned by The Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device. * iPod® and iPhone® are registered trademarks of Apple Inc.

S = Standard – = Not Available O = Optional

Paint colours

The bodywork is galvanised first to give your Volkswagen Commercial Vehicle optimum protection against mechanical and chemical influences. Only then is the paint applied in several layers and left to harden. The result is a scratch-resistant, hard finish for the top coat.



* Metallic and pearl effect paint are available at extra cost. The illustrations on these pages can only be regarded as a general guide as the printing process cannot render the colours with absolute accuracy. Please contact your local Volkswagen Commercial Vehicle dealer for details of the standard equipment and optional extras available.

standard T Transporter Van TSC Transporter Single Cab
 optional extra TC Transporter Crewvan TDC Transporter Dual Cab

Paint colours



Trim

High-quality, robust materials and skilled workmanship are essential in the manufacture of hard-wearing seat upholstery. The colours and patterns for the upholstery are painstakingly matched to the interior trim and paint finishes.



* Metallic and pearl effect paint are available at extra cost. The illustrations on these pages can only be regarded as a general guide as the printing process cannot render the colours with absolute accuracy. Please contact your local Volkswagen Commercial Vehicle dealer for details of the standard equipment and optional extras available. + The seat pattern on the left shows the centre panel, and the seat pattern on the right shows the outer panel.

- standard
- optional extra
- T** Transporter Van
- TC** Transporter Crewvan
- TSC** Transporter Single Cab
- TDC** Transporter Dual Cab

Owning a Volkswagen

Volkswagen New Vehicle Warranty

Volkswagen Transporter is covered by a 3-year/unlimited kilometre manufacturer's warranty, which includes Volkswagen Assist (24 hour roadside assistance). Transporter is also covered by a 3-year paintwork and 12-year anti-corrosion perforation warranty.

Volkswagen Assist 24 hour roadside assistance

As a valued customer, you can be assured that, wherever you travel within Australia, you will have access to roadside assistance, 24 hours a day, 365 days a year. This is complimentary for the duration of the vehicle's original Volkswagen warranty period. You will receive help in the event of a breakdown or accident and, if required, your vehicle will be mobilised or transported to an Authorised Volkswagen Repair Centre.

Volkswagen Extended Warranty

Why not continue the confidence of a Volkswagen Warranty by purchasing a Volkswagen Extended Warranty? For further details on this option, please contact your local Volkswagen Dealer.

Environment

On a local level, we have undertaken a number of initiatives to reduce the environmental impact of our business processes, including careful recycling of office waste, for example. Energy usage is being reduced through lights controlled by motion sensors in toilets, kitchens and meeting rooms.

But there's no question that the area in which we can contribute most to environmental sustainability is with our vehicles. Our TDI diesel engines consume less fuel and emit less exhaust fumes offering high torque and performance,

Volkswagen Service

Your Authorised Volkswagen Service Centre is part of Volkswagen's global Quality Management System, ensuring all dealers are certified to ISO 9001:2000 – an internationally recognised Quality Standard. Authorised Volkswagen Service Centres have factory trained technicians equipped with the very latest diagnostic equipment, specialist tooling and Volkswagen Genuine Parts. An Authorised Volkswagen Service Centre undertakes work in accordance with factory specified guidelines and maintenance schedules.

Volkswagen Genuine Parts®

Volkswagen Genuine Parts® are designed for your vehicle and approved by Volkswagen, with particular regard to safety. The workmanship, dimensional accuracy and materials used in these parts comply with factory specifications. To ensure safety and reliability, Volkswagen recommends the use of Volkswagen Genuine Parts®. Volkswagen Authorised Dealers offer a 2-year warranty on Genuine Parts from the date of purchase.

Capped Price Servicing

Volkswagen Commercial Vehicles have introduced Capped Price Servicing across the entire Commercial Vehicle Range. This new program supports our commitment to customer satisfaction and provides total transparency for complete peace of mind.

All vehicles registered after 1 January 2013 will be covered for a total of 90,000km (or 180,000km for Crafter models) or six years (whichever comes first). Our scheduled service includes the regular replacement of oil filters, engine oil and sump plug washer at each service interval, as well as the standard replacement of the air filter (at 45,000 and 90,000km) and spark plugs (every 60,000km).

To reference how much each service will cost for your specific Volkswagen Commercial Vehicle, you can contact your participating Volkswagen dealer or go to www.volkswagen-commercial.com.au



Volkswagen is distributed in Australia by Volkswagen Group Australia Pty Ltd, 24 Muir Road, Chullora, NSW, 2190. ABN 14 093 117 876. Specifications are as planned at January 2014 for MY14 and are subject to change without notice or obligation. The colours shown in the brochure are indicative only and may vary from actual items due to the printing process. Vehicles are shown for illustrative purposes only and may not depict final Australian specification, which should be confirmed with your Volkswagen Commercial Vehicles dealer. Fuel consumption figures are according to Australian Design Rules (ADR) 81/02 unless otherwise stated. The information and the specifications contained within this document were correct at the time of issue. Due to our continuous process of improvement our products are continually updated and changes may be made to the specifications from time to time. Not all vehicles or options may be available. Check at time of ordering.